



Our superior quality pre-mixed General-Purpose Sand & Cement mixes are produced at our state-of-the-art production facility at Brownstown in Co. Kildare. Kilsaran General Purpose Sand & Cement mixes are produced using dried sands, cement and additives. Admixtures are added into the mix design to manufacturer's specifications. All constituent materials comply with the relevant and current Irish, British and European standards.

### Product Application

Kilsaran General Purpose Sand & Cement mixes are a blend of sand and cement in traditional mix proportions. They are a general-purpose material, ideal for;

- Concrete repair and small infill applications
- Bedding material for natural stone, concrete and clay paving
- Haunching for kerbs and edging profiles
- Bedding of wall capping's
- Bedding of fireplace plinths

### Product Use

Suitable for use in temperatures between +5°C and +30°C. Kilsaran General Purpose Sand & Cement should be mixed with 2.3-2.6 litres of clean potable water to create a semi-dry bedding mix. Adjustments to water can be made to achieve a more workable mix to suit the end application.

### Technical Data

Kilsaran General Purpose Sand & Cement mixes are produced in an ISO 9001 quality-controlled environment.

Mix Types Available	
3:1	Sand & Cement
3:1	Sand & White Cement (paving of granite)
3:1	Sand & Cement with polypropylene fibre
4:1	Sand & Cement
4:1	Sand & White Cement (paving of granite)
4:1	Sand & Cement with polypropylene fibre

### Benefits

- Consistently high-quality mix
- Eliminates inaccurate site mixing
- Available in two traditional mix ratios
- Convenient and User-Friendly
- Eliminates wastage
- Promotes cleaner and safer sites

### Approximate Product Yield

No. 25kg Bags	Approximate m <sup>3</sup>
1	0.01
2	0.02
5	0.06
10	0.1
20	0.2
40	0.5

### Health & Safety

Please refer to the relevant Material Safety data sheet online at [www.kilsaran.ie](http://www.kilsaran.ie).

### Available Unit Size

- 10Kg bags (3:1)
- 25Kg bags
- Bulk silos

Rev 02



## Get in Touch

IRELAND - T: +353 (0)1 802 6300 - E: [technicaladmin@kilsaran.ie](mailto:technicaladmin@kilsaran.ie) - W: [www.kilsaran.ie](http://www.kilsaran.ie)

UK - T: +44 (0)161 872 8899 - E: [technical@kilsaraninternational.co.uk](mailto:technical@kilsaraninternational.co.uk) - W: [www.kilsaraninternational.co.uk](http://www.kilsaraninternational.co.uk)