

**EVO-STIK TANKING SYSTEM PASTE**  
Supersedes Date: 28-Oct-2020

Revision date 26-May-2021  
Revision Number 3.04

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** EVO-STIK TANKING SYSTEM PASTE  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Dispersion. Coatings.  
**Uses advised against** None known

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik GmbH  
An der Bundesstrasse 16  
33829 Borgholzhausen, Germany  
Tel: +49 (0) 5425 / 801 0  
Fax: +49 (0) 5425 / 801 140

**E-mail address** SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**Emergency Telephone**  
**United Kingdom** +44 (1785) 272650  
**Ireland** +353 (1) 8624900 (Monday- Friday 9am-5pm)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

|                           |                     |
|---------------------------|---------------------|
| <b>Skin sensitisation</b> | Category 1 - (H317) |
|---------------------------|---------------------|

### 2.2. Label elements

Contains 2-methyl-2H-isothiazol-3-one [MIT], 1,2-benzisothiazol-3(2H)-one [BIT], reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]



**Signal word**  
Warning

**Hazard statements**  
H317 - May cause an allergic skin reaction.

# SAFETY DATA SHEET

EVO-STIK TANKING SYSTEM PASTE  
Supersedes Date: 28-Oct-2020

Revision date 26-May-2021  
Revision Number 3.04

## Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P261 - Avoid breathing mist/vapours/spray  
P280 - Wear protective gloves  
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap  
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention  
P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other hazards

This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

## PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

| Chemical name                      | EC No     | CAS No     | Weight-%     | Classification according to Regulation (EC) No. 1272/2008 [CLP]   | Specific concentration limit (SCL) | REACH registration number |
|------------------------------------|-----------|------------|--------------|---|------------------------------------|---------------------------|
| Quartz                             | 238-878-4 | 14808-60-7 | >25 - <40    | ^   |                                    | [4]                       |
| Quartz (fine fraction)             | 238-878-4 | 14808-60-7 | 1 - <5       | STOT RE 1 (H372)  |                                    | [4]                       |
| Titanium dioxide                   | 236-675-5 | 13463-67-7 | 0.1 - <1     | Carc. 2 (H351i)   |                                    | 01-2119489379-17-XXXX     |
| 1,2-benzisothiazol-3(2H)-one [BIT] | 220-120-9 | 2634-33-5  | 0.01 - <0.05 | Acute Tox. 4 (H302)<br>Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318)<br>Skin Sens. 1 (H317)<br>Aquatic Acute 1 (H400)<br>Acute Tox. 2 (H330)<br>Aquatic Chronic 2 (H411)<br>M Factor Acute =1 | Skin Sens. 1 :: C>=0.05%           | 01-2120761540-60-XXXX     |
| Bronopol                           | 200-143-0 | 52-51-7    | 0.01 - <0.05 | Acute Tox. 4 (H302)<br>Acute Tox. 4 (H312)<br>Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318)   |                                    | 01-2119980938-15-XXXX     |

# SAFETY DATA SHEET

**EVO-STIK TANKING SYSTEM PASTE**  
**Supersedes Date:** 28-Oct-2020

**Revision date** 26-May-2021  
**Revision Number** 3.04

|  |           |            |                |  |  |                       |
|--|-----------|------------|----------------|--|--|-----------------------|
|  |           |            |                | STOT SE 3 (H335)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1 (H410)<br>M Factor Acute =10   |  |                       |
| 2-methyl-2H-isothiazol-3-one [MIT]   | 220-239-6 | 2682-20-4  | 0.0015 - <0.01 | Skin Corr. 1B (H314)<br>Eye Dam. 1 (H318)<br>Skin Sens. 1A (H317)<br>Acute Tox. 3 (H301)<br>Acute Tox. 3 (H311)<br>Acute Tox. 2 (H330)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1 (H410)<br>M Factor Acute =10<br>M Factor Chronic = 1     | Skin Sens. 1 :: C>=0.0015%   | 01-2120764690-50-xxxx |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] | 611-341-5 | 55965-84-9 | <0.0015        | Acute Tox. 3 (H301)<br>Acute Tox. 2 (H310)<br>Acute Tox. 2 (H330)<br>Skin Corr. 1C (H314)<br>Eye Dam. 1 (H318)<br>Skin Sens. 1A (H317)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1 (H410)<br>M Factor Acute = 100<br>M Factor Chronic = 100 | Eye Dam. 1 :: C>=0.6%<br>Irrit. 2 :: 0.06%<=C<0.6%<br>Skin Corr. 1C :: C>=0.6%<br>Skin Irrit. 2 :: 0.06%<=C<0.6%<br>Skin Sens. 1 :: C>=0.0015% | 01-2120764691-48-XXXX |

NOTE [4] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex IV of REACH

**Full text of H- and EUH-phrases: see section 16**

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

**SECTION 4: First aid measures**

# SAFETY DATA SHEET

EVO-STIK TANKING SYSTEM PASTE  
Supercedes Date: 28-Oct-2020

Revision date 26-May-2021  
Revision Number 3.04

## 4.1. Description of first aid measures

|                       |   |
|-----------------------|---|
| <b>General advice</b> | If medical advice is needed, have product container or label at hand.   |
| <b>Inhalation</b>     | Remove to fresh air. (Call a doctor if symptoms occur).   |
| <b>Eye contact</b>    | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists. |
| <b>Skin contact</b>   | Wash with soap and water. In the case of skin irritation or allergic reactions see a doctor.  |
| <b>Ingestion</b>      | Do NOT induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious). Get medical attention if symptoms occur.  |

## 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** May cause sensitisation in susceptible persons. Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Unsuitable extinguishing media** Full water jet.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards arising from the chemical** Thermal decomposition can lead to release of irritating and toxic gases and vapours.

**Hazardous combustion products** Carbon monoxide. Sulphur oxides. Silicon dioxide.

### 5.3. Advice for firefighters

**Special protective equipment and precautions for fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid breathing vapours or mists. Ensure adequate ventilation. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing.

**For emergency responders** Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

# SAFETY DATA SHEET

EVO-STIK TANKING SYSTEM PASTE  
Supersedes Date: 28-Oct-2020

Revision date 26-May-2021  
Revision Number 3.04

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.  
**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling** Avoid breathing vapours or mists. Ensure adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes or clothing.  
**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Protect from frost. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedingstuffs.

### 7.3. Specific end use(s)

**Specific use(s)**  
Dispersion. Coatings.

### Identified uses

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**Other information** Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

| Chemical name                        | European Union             | Ireland   | United Kingdom  |
|--------------------------------------|----------------------------|---|---|
| Quartz<br>14808-60-7                 | TWA: 0.1 mg/m <sup>3</sup> | TWA: 0.1 mg/m <sup>3</sup><br>STEL: 0.3 mg/m <sup>3</sup>   | TWA: 0.1 mg/m <sup>3</sup>  |
| Barium sulfate<br>7727-43-7          | -                          | TWA: 5 mg/m <sup>3</sup><br>STEL: 15 mg/m <sup>3</sup>  | TWA: 10 mg/m <sup>3</sup><br>TWA: 4 mg/m <sup>3</sup><br>STEL: 30 mg/m <sup>3</sup><br>STEL: 12 mg/m <sup>3</sup> |
| Quartz (fine fraction)<br>14808-60-7 | TWA: 0.1 mg/m <sup>3</sup> | TWA: 0.1 mg/m <sup>3</sup><br>STEL: 0.3 mg/m <sup>3</sup>   | TWA: 0.1 mg/m <sup>3</sup>  |
| Kaolin<br>1332-58-7                  | -                          | TWA: 2 mg/m <sup>3</sup>  | TWA: 2 mg/m <sup>3</sup><br>STEL: 6 mg/m <sup>3</sup>   |
| Titanium dioxide<br>13463-67-7       | -                          | TWA: 10 mg/m <sup>3</sup><br>TWA: 4 mg/m <sup>3</sup><br>STEL: 30 mg/m <sup>3</sup><br>STEL: 12 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup><br>TWA: 4 mg/m <sup>3</sup><br>STEL: 30 mg/m <sup>3</sup><br>STEL: 12 mg/m <sup>3</sup> |

**Derived No Effect Level (DNEL)** No information available

#### Derived No Effect Level (DNEL)

Quartz (14808-60-7)

Titanium dioxide (13463-67-7)

# SAFETY DATA SHEET

**EVO-STIK TANKING SYSTEM PASTE**  
**Supersedes Date:** 28-Oct-2020

**Revision date** 26-May-2021  
**Revision Number** 3.04

| Type  | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
|---|----------------|--------------------------------|---------------|
| worker<br>Long term<br>Local health effects | Inhalation     | 10 mg/m <sup>3</sup>           |               |

| <b>1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)</b> |                |                                |               |
|---|----------------|--------------------------------|---------------|
| Type  | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker<br>Long term<br>Systemic health effects        | Inhalation     | 6.81 mg/m <sup>3</sup>         |               |
| worker<br>Long term<br>Systemic health effects        | Dermal         | 0.966 mg/kg bw/d               |               |

| <b>Derived No Effect Level (DNEL)</b>            |                |                                |               |
|--|----------------|--------------------------------|---------------|
| <b>Quartz (fine fraction) (14808-60-7)</b>       |                |                                |               |
| <b>Titanium dioxide (13463-67-7)</b>             |                |                                |               |
| Type   | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer<br>Long term<br>Systemic health effects | Oral           | 700 mg/kg bw/d                 |               |

| <b>1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)</b> |                |                                |               |
|---|----------------|--------------------------------|---------------|
| Type  | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer<br>Long term<br>Systemic health effects      | Inhalation     | 1.2 mg/m <sup>3</sup>          |               |
| Consumer<br>Long term<br>Systemic health effects      | Dermal         | 0.345 mg/kg bw/d               |               |

**Predicted No Effect Concentration (PNEC)** No information available.

| <b>Predicted No Effect Concentration (PNEC)</b> |  |
|---|--|
| <b>Quartz (fine fraction) (14808-60-7)</b>      |  |
| <b>Titanium dioxide (13463-67-7)</b>            |  |
| Environmental compartment                       | Predicted No Effect Concentration (PNEC) |
| Marine water                                    | 0.0184 mg/l                              |
| Freshwater sediment                             | 1000 mg/kg                               |
| Freshwater                                      | 0.184 mg/l                               |
| Marine sediment                                 | 100 mg/kg                                |
| Soil  | 100 mg/kg                                |
| Microorganisms in sewage treatment              | 100 mg/l                                 |
| Freshwater - intermittent                       | 0.193 mg/l                               |

| <b>1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)</b> |  |
|---|--|
| Environmental compartment                             | Predicted No Effect Concentration (PNEC) |
| Freshwater  | 4.03 µg/l                                |
| Marine water  | 0.403 µg/l                               |
| Sewage treatment plant                                | 1.03 mg/l                                |
| Freshwater sediment                                   | 49.9 µg/l                                |
| Marine sediment                                       | 4.99 µg/l                                |
| Soil  | 3 mg/kg dry weight                       |

# SAFETY DATA SHEET

EVO-STIK TANKING SYSTEM PASTE  
Supersedes Date: 28-Oct-2020

Revision date 26-May-2021  
Revision Number 3.04

## 8.2. Exposure controls

|  |  |
|--|--|
| <b>Engineering controls</b>            | Ensure adequate ventilation, especially in confined areas.   |
| <b>Personal protective equipment</b>   |  |
| <b>Eye/face protection</b>             | Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.  |
| <b>Hand protection</b>                 | Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use: Neoprene™. Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. |
| <b>Skin and body protection</b>        | Wear suitable protective clothing.   |
| <b>Respiratory protection</b>          | Ensure adequate ventilation, especially in confined areas. During spraying wear suitable respiratory equipment.  |
| <b>Recommended filter type:</b>        | Wear a respirator conforming to EN 140 with Type A/P2 filter or better.  |
| <b>Environmental exposure controls</b> | Do not allow into any sewer, on the ground or into any body of water.  |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                              |                         |
|--|------------------------------|-------------------------|
| <b>Physical state</b>                          | Liquid                       |                         |
| <b>Appearance</b>                              | Viscous                      |                         |
| <b>Colour</b>                                  | Grey Brown                   |                         |
| <b>Odour</b>                                   | Characteristic Slight        |                         |
| <b>Odour threshold</b>                         | No information available     |                         |
| <b>Property</b>                                | <b>Values</b>                | <b>Remarks • Method</b> |
| <b>pH</b>                                      | 7 - 9                        |                         |
| <b>pH (as aqueous solution)</b>                | No data available            |                         |
| <b>Melting point / freezing point</b>          | 0 °C                         |                         |
| <b>Initial boiling point and boiling range</b> | 100 °C                       |                         |
| <b>Flash point</b>                             | Not applicable . °C          |                         |
| <b>Evaporation rate</b>                        | No data available            |                         |
| <b>Flammability</b>                            | Not applicable for liquids . |                         |
| <b>Flammability Limit in Air</b>               |                              |                         |
| <b>Upper flammability or explosive limits</b>  | No data available            |                         |
| <b>Lower flammability or explosive limits</b>  | No data available            |                         |
| <b>Vapour pressure</b>                         | 120                          | hPa @ 50 °C             |
| <b>Relative vapour density</b>                 | No data available            |                         |
| <b>Relative density</b>                        | 1.1 - 1.3                    | None known              |
| <b>Water solubility</b>                        | Miscible in water            |                         |
| <b>Solubility(ies)</b>                         | No data available            |                         |
| <b>Partition coefficient</b>                   | No data available            |                         |
| <b>Autoignition temperature</b>                | No data available            |                         |
| <b>Decomposition temperature</b>               | No data available            |                         |
| <b>Kinematic viscosity</b>                     | No data available            |                         |
| <b>Dynamic viscosity</b>                       | approx 15 - 25 Pa.s          |                         |
| <b>Explosive properties</b>                    | No data available            |                         |
| <b>Oxidising properties</b>                    | No data available            |                         |

### 9.2. Other information

|                          |                             |
|--------------------------|-----------------------------|
| <b>Solid content (%)</b> | No information available    |
| <b>VOC Content (%)</b>   |                             |
| <b>Liquid Density</b>    | 1.1 - 1.3 g/cm <sup>3</sup> |

# SAFETY DATA SHEET

EVO-STIK TANKING SYSTEM PASTE  
Supersedes Date: 28-Oct-2020

Revision date 26-May-2021  
Revision Number 3.04

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity Stable under recommended storage conditions.

### 10.2. Chemical stability

Stability Stable under normal conditions.

### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Protect from frost.

### 10.5. Incompatible materials

Incompatible materials None known based on information supplied.

### 10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

#### Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitisation by skin contact.

Ingestion Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

#### Numerical measures of toxicity

#### Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

# SAFETY DATA SHEET

EVO-STIK TANKING SYSTEM PASTE  
Supersedes Date: 28-Oct-2020

Revision date 26-May-2021  
Revision Number 3.04

## Component Information

| Chemical name   | Oral LD50                | Dermal LD50                                   | Inhalation LC50  |
|---|--------------------------|---|--|
| Quartz<br>14808-60-7  | >2000 mg/kg (Rattus)     |   |  |
| Quartz (fine fraction)<br>14808-60-7  | >2000 mg/kg (Rattus)     |   |  |
| Titanium dioxide<br>13463-67-7  | >10000 mg/kg (Rattus)    | LD50 > 10000 mg/Kg                            | >5 mg/l  |
| 1,2-benzisothiazol-3(2H)-one<br>[BIT]<br>2634-33-5  | =670 mg/kg (Rattus)      | LD50 > 2000 mg/kg (Rattus)                    |  |
| Bronopol<br>52-51-7   | =180 mg/kg (Rattus)      | = 1600 mg/kg (Rattus)                         | =800 mg/m <sup>3</sup> (Rattus) 4 h > 5<br>g/m <sup>3</sup> (Rattus) 6 h |
| 2-methyl-2H-isothiazol-3-one<br>[MIT]<br>2682-20-4  | LD50 =285 mg/Kg (Rattus) | LD50 >242 mg/Kg (Rattus)                      | =0.11 mg/L (Rattus) 4 h  |
| reaction mass of<br>5-chloro-2-methyl-2H-isothiazol-3-one and<br>2-methyl-2H-isothiazol-3-one<br>(3:1) [C(M)IT/MIT]<br>55965-84-9 | =53 mg/kg (Rattus)       | LD50 = 87.12 mg/kg<br>(Oryctolagus cuniculus) |  |

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

| Chemical name                  | European Union |
|--------------------------------|----------------|
| Titanium dioxide<br>13463-67-7 | Carc. 2        |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

EVO-STIK TANKING SYSTEM PASTE  
 Supersedes Date: 28-Oct-2020

Revision date 26-May-2021  
 Revision Number 3.04

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

### 11.2.2. Other information

Other adverse effects No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity

| Chemical name  | Algae/aquatic plants  | Fish   | Toxicity to microorganisms   | Crustacea   | M-Factor | M-Factor (long-term) |
|--|---|--|--|---|----------|----------------------|
| Titanium dioxide<br>13463-67-7   | LC50 (96h)<br>>10000 mg/l<br>(Cyprinodon variegatus)<br>OECD 203          | -  | -  | -   |          |                      |
| 1,2-benzisothiazol-3(2H)-one [BIT]<br>2634-33-5  | EC50 3Hr<br>13mg/l<br>(activated sludge) (OECD 209)                       | LC50 (96hr)<br>2.15 mg/l<br>Cyprinodon variegatus EPA 540/9-85-006 | -  | EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202           | 1        |                      |
| Bronopol<br>52-51-7  | EC50 (72h) = 0,068 mg/l (Anabaena flos aqua) (OECD 201)                   | LC50 (96h) = 3 mg/L (Oncorhynchus mykiss) (OECD 203)               | EC50 = 0.41 mg/L 30 min<br>EC50 = 0.50 mg/L 15 min<br>EC50 = 0.91 mg/L 5 min | EC50 (48h) =1.4 mg/L (Daphnia magna, static) (OECD 202) | 10       | 1                    |
| 2-methyl-2H-isothiazol-3-one [MIT]<br>2682-20-4  | EC50 (72hr)<br>0.157 mg/l<br>(Pseudokirchneriella subcapitata) (OECD 201) | EC50 (96hr)<br>5.71 mg/l<br>(Oncorhynchus mykiss) OECD 203         | -  | EC50 (48hr)<br>1.68 mg/l<br>(Daphnia) (OECD 202)        | 10       | 1                    |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]<br>55965-84-9 | EC50 (72h) =0.048 mg/L (Pseudokirchneriella subcapitata) (OECD 201)       | EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211)            | -  | EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)         | 100      | 100                  |

### 12.2. Persistence and degradability

Persistence and degradability No information available.

#### Component Information

##### 2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)

| Method  | Exposure time | Value                    | Results                   |
|---|---------------|--------------------------|---------------------------|
| OECD Test No. 308: Aerobic and Anaerobic Transformation in Aquatic Sediment Systems |               | Half-life                | 1.28-2.1 days             |
| OECD Test No. 309: Aerobic  |               | biodegradation Half-life | Readily biodegradable 4.1 |

# SAFETY DATA SHEET

EVO-STIK TANKING SYSTEM PASTE  
Supersedes Date: 28-Oct-2020

Revision date 26-May-2021  
Revision Number 3.04

|  |  |  |      |
|--|--|--|------|
| Mineralization in Surface Water - Simulation Biodegradation Test |  |  | days |
|--|--|--|------|

## 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

### Component Information

| Chemical name   | Partition coefficient | Bioconcentration factor (BCF) |
|---|-----------------------|-------------------------------|
| Quartz<br>14808-60-7  | -                     | 0                             |
| 1,2-benzisothiazol-3(2H)-one [BIT]<br>2634-33-5   | 0.7                   | 6.95                          |
| Bronopol<br>52-51-7   | 0.22                  | 3.15                          |
| 2-methyl-2H-isothiazol-3-one [MIT]<br>2682-20-4   | -0.32                 | 3.16                          |
| reaction mass of<br>5-chloro-2-methyl-2H-isothiazol-3-one and<br>2-methyl-2H-isothiazol-3-one (3:1)<br>[C(M)IT/MIT]<br>55965-84-9 | -                     | 3.16                          |

## 12.4. Mobility in soil

**Mobility in soil** No information available.

## 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB.

| Chemical name   | PBT and vPvB assessment  |
|---|--|
| Titanium dioxide<br>13463-67-7  | The substance is not PBT / vPvB<br>PBT assessment does not apply |
| 1,2-benzisothiazol-3(2H)-one [BIT]<br>2634-33-5   | The substance is not PBT / vPvB                                  |
| Bronopol<br>52-51-7   | The substance is not PBT / vPvB                                  |
| 2-methyl-2H-isothiazol-3-one [MIT]<br>2682-20-4   | The substance is not PBT / vPvB                                  |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and<br>2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]<br>55965-84-9 | The substance is not PBT / vPvB                                  |

## 12.6. Other adverse effects

**Other adverse effects** No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

# SAFETY DATA SHEET

EVO-STIK TANKING SYSTEM PASTE  
Supercedes Date: 28-Oct-2020

Revision date 26-May-2021  
Revision Number 3.04

|                                 |   |
|---------------------------------|---|
| <b>Contaminated packaging</b>   | Handle contaminated packages in the same way as the product itself.                                 |
| <b>European Waste Catalogue</b> | 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances    |
| <b>Other information</b>        | Waste codes should be assigned by the user based on the application for which the product was used. |

## SECTION 14: Transport information

**Note:** Keep from freezing.

### Land transport (ADR/RID)

|  |                |
|--|----------------|
| <b>14.1 UN number or ID number</b>     | Not regulated  |
| <b>14.2 Proper Shipping Name</b>       | Not regulated  |
| <b>14.3 Transport hazard class(es)</b> | Not regulated  |
| <b>14.4 Packing group</b>              | Not regulated  |
| <b>14.5 Environmental hazards</b>      | Not applicable |
| <b>14.6 Special Provisions</b>         | None           |

### IMDG

|  |                |
|--|----------------|
| <b>14.1 UN number or ID number</b>   | Not regulated  |
| <b>14.2 Proper Shipping Name</b>   | Not regulated  |
| <b>14.3 Transport hazard class(es)</b>   | Not regulated  |
| <b>14.4 Packing group</b>  | Not regulated  |
| <b>14.5 Marine pollutant</b>   | NP             |
| <b>14.6 Special Provisions</b>   | None           |
| <b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> | Not applicable |

### Air transport (ICAO-TI / IATA-DGR)

|  |                |
|--|----------------|
| <b>14.1 UN number or ID number</b>     | Not regulated  |
| <b>14.2 Proper Shipping Name</b>       | Not regulated  |
| <b>14.3 Transport hazard class(es)</b> | Not regulated  |
| <b>14.4 Packing group</b>              | Not regulated  |
| <b>14.5 Environmental hazards</b>      | Not applicable |
| <b>14.6 Special Provisions</b>         | None           |

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# SAFETY DATA SHEET

**EVO-STIK TANKING SYSTEM PASTE**  
**Supersedes Date:** 28-Oct-2020

**Revision date** 26-May-2021  
**Revision Number** 3.04

## **EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction**

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## **Substance subject to authorisation per REACH Annex XIV**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## **Biocidal Products Regulation (EU) No 528/2012 (BPR)**

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

## **Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

## **Persistent Organic Pollutants**

Not applicable

## **National regulations**

### **15.2. Chemical safety assessment**

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

### **Key or legend to abbreviations and acronyms used in the safety data sheet**

#### **Full text of H-Statements referred to under section 3**

H301 - Toxic if swallowed  
H302 - Harmful if swallowed  
H310 - Fatal in contact with skin  
H311 - Toxic in contact with skin  
H312 - Harmful in contact with skin  
H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H330 - Fatal if inhaled  
H335 - May cause respiratory irritation  
H372 - Causes damage to organs through prolonged or repeated exposure  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects  
H411 - Toxic to aquatic life with long lasting effects

#### **Legend**

|         |   |
|---------|---|
| TWA     | TWA (time-weighted average)                               |
| STEL    | STEL (Short Term Exposure Limit)                          |
| Ceiling | Ceiling Limit Value                                       |
| *       | Skin designation  |
| SVHC    | Substance(s) of Very High Concern                         |
| PBT     | Persistent, Bioaccumulative, and Toxic (PBT) Chemicals    |
| vPvB    | Very Persistent and very Bioaccumulative (vPvB) Chemicals |
| STOT RE | Specific target organ toxicity - Repeated exposure        |
| STOT SE | Specific target organ toxicity - Single exposure          |
| EWC     | European Waste Catalogue                                  |

# SAFETY DATA SHEET

**EVO-STIK TANKING SYSTEM PASTE**  
**Supersedes Date:** 28-Oct-2020

**Revision date** 26-May-2021  
**Revision Number** 3.04

---

## **Key literature references and sources for data**

No information available

**Prepared By** Product Safety & Regulatory Affairs

**Revision date** 26-May-2021

## **Indication of changes**

**Revision note** SDS sections updated, 15.

**Training Advice** When working with hazardous materials, regular training of operators is required by law

**Further information** No information available

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**